

Sample: 2503CWB0076.0280

Strain: LEV_LLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/21/2025; Report Created: 03/31/2025

Lic. #

Sampling: ; Environment:

LEV_LLD910LOT01

Notes:

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:


0.003%

Δ9 THC

ND

Total CBD

NR
10.03 mg/unit

Total THC

10.03 mg/unit

 Total
Cannabinoids

Moisture

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	10.03	0.03
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		10.03	0.03

1 mL = 0.9715g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

 1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505


Lindsey Contella
Certifying Scientist

 Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0076.0280

Strain: LEV_LLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/21/2025; Report Created: 03/31/2025

Lic. #

Sampling: ; Environment:

LEV_LLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage**Kaycha Labs**

2503CWB0076.0280

Matrix: Edible

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50325011-001



Production Method: Other - Not Listed

Harvest/Lot ID: LEV_LLD910LOT01

Batch#: -

Harvest Date: 03/21/25

Sample Size Received: 11 units

Total Amount: 1 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/21/25

Sampled: 03/25/25

Completed: 03/28/25

Sampling Method: KP

Mar 28, 2025 | Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US**PASSED**

Pages 1 of 4

SAFETY RESULTSPesticides
PASSEDHeavy Metals
PASSEDMicrobials
PASSEDMycotoxins
PASSEDResiduals
Solvents
PASSEDFiltration
NOT TESTEDWater Activity
NOT TESTEDMoisture
NOT TESTED**MISC.**Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab DirectorState License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # 17025-2017 Accredited
Signature
03/28/251327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0076.0280

Strain: LEV_LLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/21/2025; Report Created: 03/31/2025

Lic. #

Sampling: ; Environment:

LEV_LLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

 1327 Miller Road
Greenville, SC, 29607, US
Telephone: (717) 250-5419
Email: info@clearwaterbiotech.com

Sample: DA50325011-001

 Harvest/Lot ID: LEV_LLD910LOT01
Batch#: ; Sample Size Received: 11 units
Sampled: 03/25/25 Total Amount: 1 units
Ordered: 03/25/25 Completed: 03/28/25 Expires: 03/28/25
Sample Method: 197

Page 2 of 4

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXYMETHYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOCHLORPH	0.010	ppm	3	PASS	ND	PARATHION-DETHIOPHOS	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	1.000	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	0.4	PASS	ND
TOTAL SPINETORAN	0.010	ppm	3	PASS	ND	PHALATHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROCONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEDICACETYL	0.010	ppm	2	PASS	ND	SPINOSAD	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPINOTETRAZAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPINOTETRAZAT	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CABANILY	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CHLORANTHANILIPROLE	0.010	ppm	1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CHLORFENAPYR	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CHLORFENAPYR	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
CLOFENTHENE	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
COUNAPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
DICHLOROVOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010</				

This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0076.0280

Strain: LEV_LLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/21/2025; Report Created: 03/31/2025

Lic. #

Sampling: ; Environment:

LEV_LLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC 29607, US
Telephone: (713) 250-5419
Email: info@clearwaterbiotech.com

Sample : DA50325011-001
Harvest/Lot ID: LEV_LLD910LOT01
Batch# :
Sample Size Received : 11 units
Sampled : 03/25/25
Total Amount : 1 units
Completed : 03/26/25 Expires: 03/26/26
Ordered : 03/25/25
Sample Method : V.P

Page 4 of 4

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OGRASTOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 4044, 4520, 585, 1440 Weight: 0.9008g Extraction date: 03/26/25 09:38:33 Extracted by: 4520,4044 Analysis Method : SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL Analytical Batch : DA0847159MC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010 Fisher Scientific Isoplex Heat Block (95°C) DA-049, DA-402 Thermo Scientific Heat Block (55 C) Batch Date : 03/26/25 07:45:17 Analyzed Date : 03/27/25 09:35:33 Dilution : 10 Reagent : 020125.R07; 013025.R14; 031525.R03; 093024.R02 Consumables : 7581001062 Pipette : N/A						Analyzed by: 4044, 4520, 585, 1440 Weight: 1.024g Extraction date: 03/26/25 11:24:43 Extracted by: 4520,585 Analysis Method : SOP T.30.102 FL, SOP T.40.102 FL Analytical Batch : DA0847179MC Instrument Used : DA-LCMS-004 (WVC) Analyzed Date : 03/27/25 09:22:56 Dilution : 250 Reagent : 030625.R17; 081023.R1 Consumables : 040724CM01; 22102100 Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64B020-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64B020-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS											
ARSENIC	0.020	ppm	ND	PASS	1.5						
CADMIUM	0.020	ppm	ND	PASS	0.5						
MERCURY	0.020	ppm	ND	PASS	3						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2856g Extraction date: 03/26/25 11:13:46 Extracted by: 4056 Analysis Method : SOP T.30.082 FL, SOP T.40.082 FL Analytical Batch : DA0847141EA Instrument Used : DA-ICPMS-004 Analyzed Date : 03/27/25 10:52:52 Dilution : 50 Reagent : 032525.R31; 031725.R14; 032425.R07; 032525.R30; 032425.R05; 032425.R06; 120324.R7; 031725.R15 Consumables : 040724CM01; 609879-0193; 179436 Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64B020-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64B020-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # 179436
Testing 97164

Signature
03/28/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.