

Sample: 2503CWB0074.0278

Strain: LEVITY Galaxy Lime LEV_GLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/19/2025; Report Created: 03/24/2025

Lic. #

Sampling: ; Environment:

LEVITY Galaxy Lime LEV_GLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:


0.003%

Δ9 THC

ND

Total CBD

NT
10.04 mg/unit

Total THC

10.04 mg/unit

 Total
Cannabinoids

Moisture

Cannabinoids

Analyte	LOQ mg/unit	Result mg/unit	Result mg/mL
THCa	3.40	ND	ND
Δ9-THC	3.40	10.04	0.03
Δ8-THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	ND	ND
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	<LOQ	<LOQ
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		10.04	0.03

1 mL = 0.9835g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017,

 1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505


Lindsey Contella
Certifying Scientist

 Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0074.0278

Strain: LEVITY Galaxy Lime LEV_GLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/19/2025; Report Created: 03/24/2025

Lic. #

Sampling: ; Environment:

LEVITY Galaxy Lime LEV_GLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:

4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2503CWB0074.0278

Matrix: Edible

Production Method: Other - Not Listed

Harvest/Lot ID: LEV_GLD910LOT01

Batch#: -

Harvest Date: 03/19/25

Sample Size Received: 11 units

Total Amount: 1 units

Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Servings: 1

Ordered: 03/19/25

Sampled: 03/20/25

Completed: 03/22/25

Sampling Method: KP

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50320015-005



Mar 22, 2025 | Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US

PASSED

Pages 1 of 4

SAFETY RESULTS

Pesticides
PASSEDHeavy Metals
PASSEDMicrobials
PASSEDMycotoxins
PASSEDResiduals
Solvents
PASSEDFiltration
NOT TESTEDWater Activity
NOT TESTEDMoisture
NOT TESTEDTerpenes
NOT
TESTED

MISC.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab DirectorState License # CMTL 0002
ISO 17025:2017 Accreditation # ISO/IEC
17025:2017 Accreditation # 17025-2017 AccreditedSignature
03/22/251327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0074.0278

Strain: LEVITY Galaxy Lime LEV_GLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/19/2025; Report Created: 03/24/2025

Lic. #

Sampling: ; Environment:

LEVITY Galaxy Lime LEV_GLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

 1327 Miller Road
Greenville, SC 29607, US
Telephone: (713) 250-5419
Email: hfanagan@clearwaterbiotech.com

 Sample: DA58320015-005
Harvest/Lot ID: LEV_GLD910LOT01
Batch#: ;
Sample Size Received: 11 units
Sampled: 03/20/25
Total Amount: 11 units
Completed: 03/22/25 Expires: 03/22/26
Sample Method: 197

Page 2 of 4

Pesticides						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXYMETHOXY	0.010	ppm	0.5	PASS	ND
TOTAL DITHIONOCHLORIDE	0.010	ppm	3	PASS	ND	PACLOTRIAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRIN	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
ABAMECTIN ELA	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ACIFENATE	0.010	ppm	3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACICORINOL	0.010	ppm	2	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPINOSAD	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPINOTETRAZOL	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROKARAME	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIOPHOSPHATE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIOPHOSPHATE	0.010	ppm	3	PASS	ND
CABANIL	0.010	ppm	0.5	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
CHLORANTHANILIPROLE	0.010	ppm	1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
CHLOROMQUAT CHLORIDE	0.010	ppm	3	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
CHLOROPYRIFOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
CLOFENTHINE	0.010	ppm	0.5	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
COUNAPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
DICHLOROVOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS	0.010	ppm	0.1	PASS	ND	THIOPHOSPHATE	0.010	ppm	0.1	PASS	ND
ETOPROPHOS											

Sample: 2503CWB0074.0278

Strain: LEVITY Galaxy Lime LEV_GLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/19/2025; Report Created: 03/24/2025

Lic. #

Sampling: ; Environment:

LEVITY Galaxy Lime LEV_GLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (713) 250-5419
Email: hfang@clearwaterbiotech.com

Sample: DA50320015-005
Harvest/Lot ID: LEV_GLD910LOT01
Batch#: ; Sample Size Received: 11 units
Sampled: 03/20/25 Total Amount: 1 units
Ordered: 03/20/25 Completed: 03/22/25 Expires: 03/22/26
Sample Method: 19

Page 3 of 4

Residual Solvents						PASSED
Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHANE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	400	TESTED	6457.167	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440 Weight: 0.0286g Extraction date: 03/20/25 12:24:28 Extracted by: 4451 Analysis Method: SOP T-40.041.FL Analytical Batch: DA08054050L Instrument Used: DA-GCMS-003 Batch Date: 03/20/25 10:38:47 Analyzed Date: 03/21/25 14:43:42 Dilution: 1 Reagent: 030420.09 Consumables: 430596, 319008 Pipette: DA-309 25 uL Syringe 3502B						

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
03/22/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Sample: 2503CWB0074.0278

Strain: LEVITY Galaxy Lime LEV_GLD910LOT01

Batch#: ; Batch Size: g

Sample Received: 03/19/2025; Report Created: 03/24/2025

Lic. #

Sampling: ; Environment:

LEVITY Galaxy Lime LEV_GLD910LOT01

Ingestible, Beverage

Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (713) 250-5419
Email: info@clearwaterbiotech.com

Sample : DA50320015-005
Harvest/Lot ID: LEV_GLD910LOT01
Batch# :
Sample Size Received : 11 units
Sampled : 03/20/25
Total Amount : 1 units
Completed : 03/22/25 Expires: 03/22/26
Ordered : 03/20/25
Sample Method : 1P

Page 4 of 4

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OGRASTOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 4044, 4520, 585, 1440 Weight: 0.864g Extraction date: 03/20/25 11:37:02 Extracted by: 4044, 4520 Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL Analytical Batch: DA08045431MYC Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems 2720 Thermocycler DA-010 Fisher Scientific Isoplex Heat Block (95°C) DA-049 DA-402 Thermo Scientific Heat Block (55 C) Analyzed Date: 03/21/25 10:53:00 Dilution: 10 Reagent: 020125.09; 013025.03; 021925.R61; 093024.02 Consumables: 7580002043 Pipette: N/A						Analyzed by: 4044, 4520, 585, 1440 Weight: 0.2365g Extraction date: N/A Extracted by: 450,585 Analysis Method: SOP T.30.102 FL, SOP T.40.102 FL Analytical Batch: DA08045431MYC Instrument Used: N/A Analyzed Date: 03/21/25 09:25:10 Dilution: 250 Reagent: 031725.R01; 081023.01 Consumables: 040724CH01; 6822423-02 Pipette: N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64B020-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64B020-39.					
Heavy Metals						PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS											
ARSENIC	0.040	ppm	ND	PASS	5						
CADMIUM	0.020	ppm	ND	PASS	1.5						
MERCURY	0.020	ppm	ND	PASS	3						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2145g Extraction date: 03/20/25 11:36:47 Extracted by: 1022, 4056 Analysis Method: SOP T.30.082 FL, SOP T.40.082 FL Analytical Batch: DA08045431MYC Instrument Used: DA-ICPMS-004 Analyzed Date: 03/21/25 10:52:24 Dilution: 50 Reagent: 012925.R32; 022425.R19; 032025.R07; 031725.R11; 031725.R12; 120324.07; 030625.R25 Consumables: 040724CH01; 6508679-0193; 179436 Pipette: DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64B020-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64B020-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # 0501EC
17025:2017 Accreditation # PLA-
Testing 97164

Signature
03/22/25

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.